

ICP 300 In-cab printer



The RDS ICP 300 is specially designed for use in harsh environments

The RDS **ICP 300** is the ideal printer for industrial and agricultural vehicles. An ultralightweight and low-power printer, it is designed for heavy-duty use in the harshest environments.

RDS TECHNOLOGY

PRECISELY

www.rdstec.com

The RDS **ICP 300** is a low-power in-cab printer compatible with a number of RDS instruments:

- **Weighlog 200**
- **Loadlog 500+**
- **WEIGHLOG α 10**
- **Loadmaster 8000iX**
- **Loadmaster 9000i**
- **Axlog Alpha Link**
- **Ceres 8000i**
- **Delta 34i**

It is typically used in industrial and agricultural weighing applications, for example builder's depots, for stock records and point of sale weighing operations. It is also used in chemical applications where record-keeping is required e.g. COSHH.

FEATURES:

- Easy paper feed mechanism, allows the quick replacement of feeder roll.
- High speed, high resolution printing capability.
- Automatic time and date.
- Quiet, non-impact system.
- High reliability line head mechanism.
- Low power mode.
- Robust, shock-proof housing.
- 5 Kbytesbuffer RAM allows simultaneous use of printer and instruments.
- Automatic low paper indicator.
- Accepts ASCII format data.

ADVANTAGES:

- Provides legible, hard copy print-outs of loading activity.
- Facilitates invoice preparation.
- Eliminates time-consuming manual record-keeping.
- Provides error-free records.
- Simplifies COSHH/FEPA record-keeping.
- Low maintenance.

TECHNICAL DETAILS:

Power supply:	10-35 Vdc
Printing system:	Direct thermal head line
Printing width:	48mm
Printing speed:	10 lines per second
Temperature range:	0-50°Coperating, -20-+60°C storage
Character set:	ASCII
Paper width:	58mm
Paper capacity:	44mm dia, 25m (standard printer) 32mm dia, 10m (low profile)
Baud rates:	300, 600, 1200, 1240, 4800, 9600 & 19200
Buffer size:	5 Kbytes
Dimensions:	85.5 x 150 x 55mm, 400g approx.
Advised paper:	TF50-KS-E2D

ALSO IN THE RANGE:

Loadlog 500+ - for single channel weighing with grand total summary.

Weighlog 200 - multiple channel on-board weighing with grand total summary.

Loadmaster 8000iX - dual-sensor weighing with target weight entry, last bucket tip-off, temperature and slope compensation, data management and printer options.

DISTRIBUTORS:

RDS Technology Ltd, Cirencester Road,
Minchinhampton, Stroud, Glos, GL6 9BH, UK
T: +44 (0)1453 733300 info@rdstec.com

RDS TECHNOLOGY

P R E C I S E L Y

www.rdstec.com

Errors and omissions excluded, technical details are subject to change. ref: ICP300/EN